

### Tutorial de uso

# Tópicos

- Revisão geral da interface
- Pesquisa
  - Termo de busca
    - Lista de resultados
    - Sumário clínico
  - Índice alfabético
  - Categorias
- Alertas
- Calculadoras médicas
- Acesso de dispositivos móveis
- Suporte

Hom	e 🔰 Recent Updates	E-Newsletter	Mobile	Calculators 🗸				Send Comment	About 🗸	Не
		Dyna	Mèc end by EBSCOde	Browse: A B C D E F G H I J K L M	1N O P Q R S T L	JVWXYZ	Search @ Browse Categories		EP SA	LES
	Spotlight				Search Other	- Services				
	<ul> <li>DYNAMED EBM FOC Response to Intra-Al</li> <li>DynaMed Resident F Plus Codeine for Pair Better Functional Ou</li> <li>Stroke (acute mana 2013 Mar)</li> <li>Acute otitis media (A</li> <li>Carbapenem-resistar</li> <li>DynaMed Z-Stop Exi</li> </ul>	US: Severity Of Sy tritcular Corticosterol Relief in Children w toomes, Fewer Adv gement) and 14 reli (OM) updated with a the Enterobacteriace; be THE MOST Cut	mptoms and d Injection f ippears At Le. ith Arm Frac- erse Events ated topics u AAP guideline ae (CRE) cre RENT point- valuaci	Presence of Effusion May Predict or Knee Osteoarthritis ast as Effective as Acetaminophen ture, and May be Associated with , and Better Satisfaction pdated with AHA guideline (Stroke e (Pediatrics 2013 Mar) ated on March 12, 2013 of-care reference (BMJ 2011 Sep 23)	Lexicomp Online	PERC LEXI-COMP	-	NRC		
	Practice Changing Up	odates								

Top of Page

EBSCO Support Site | Privacy Policy | Terms of Use | Copyright © 2013 EBSCO Industries, Inc. All rights reserved.

4

- A interface Dynamed é composta de 4 grandes áreas:
  - Parte central: onde se acessa a busca
  - Parte superior esquerda: onde se acessa serviços adicionais
  - Parte superior direita: onde se encontra conteúdo de suporte da plataforma
  - Parte inferior da tela: destaques de links de notícias e outros produtos médicos da EBSCO



- Busca
  - Através desta parte da interface é possível acessar as buscas por:
    - Termo de busca
    - Índice alfabético
    - Categorias

Home

Recent Updates E-Newsletter

Mobile

Calculators ~

- Serviços adicionais
  - Através desta parte da interface é possível acessar:
    - Home: retorna para a tela inicial •
    - Recent updates: as últimas atualizações da plataforma
    - E-Newsletter: assinar o email marketing do produto e acompanhar as novidades da plataforma
    - Mobile: a EBSCO oferece através deste link no menu os seguintes suportes para dispositivos móveis:
      - BlackBerry (OS 4.1 to 7)
      - iPhone, iPad, and iPod Touch (iOS 5.1 ou superior)
      - Android Smartphones (OS 2.1 ou superior)
    - Calculadoras médicas

Send Comment About - Help

- Suporte da plataforma\*
  - Através desta parte da interface é possível:
    - Send comment: Enviar comentários
    - About: Conhecer um pouco mais sobre o produto, política editorial, corpo editorial, metodologias, entre outras informações.
    - Help: documentação sobre a plataforma, tutoriais, treinamentos, entre outras informações.

\*Todos os produtos EBSCO tem um link para o site de suporte na parte inferior de suas interfaces.

#### Spotlight

- DYNAMED EBM FOCUS: Severity Of Symptoms and Presence of Effusion May Predict Response to Intra-Articular Corticosteroid Injection for Knee Osteoarthritis
- DynaMed Resident Focus: Ibuprofen Appears At Least as Effective as Acetaminophen Plus Codeine for Pain Relief in Children with Arm Fracture, and May be Associated with Better Functional Outcomes, Fewer Adverse Events, and Better Satisfaction
- Stroke (acute management) and 14 related topics updated with AHA guideline (Stroke 2013 Mar)
- Acute otitis media (AOM) updated with AAP guideline (Pediatrics 2013 Mar)
- Carbapenem-resistant Enterobacteriaceae (CRE) created on March 12, 2013
- DynaMed shown to be THE MOST CURRENT point-of-care reference (BMJ 2011 Sep 23)
- DynaMed 7-Step Evidence-Based Methodology
- Practice Changing Updates

### Destaques

- Através desta parte da interface é possível:
  - Ver as atualizações de conteúdo;
  - Configurar atalhos para outros produtos EBSCO



# Pesquisa

Termo de busca



## Pesquisa: termo de busca



Failure to progress in labor

Failure to thrive in children



- Na parte central da interface Dynamed, encontra-se o campo de busca.
- Nele poderão ser digitados termos de busca relaciodados a condições, medicamentos, sintomas, doenças e síndromes, todos em inglês.
- Como é possível observar no exemplo acima, ao digitar um termo serão apresentadas sugestões.

## Pesquisa: termo de busca



Failure to progress in labor

Failure to thrive in children



 Ao clicar em "Search", a interface vai apresentar uma lista de termos relacionados ou o sumário clínico, isso depende da coincidência exata com o termo buscado e da quantidade de sumários clínicos relacionados à temática.



Home   Recent Updates   E-Nev	vsletter Mobile	Calculators 🗸	Send Comment 🛛 About 🗸 Help
			EP SALES
DynaMed 🔤	arch Other Services		
<ul> <li>Covered by EBSCObust</li> </ul>	ilure to progress in	labor	Search 2
Bro	wse: A B C D E F G H	HJKLMNOPQRSTUVWXYZ	Browse Categories
1-48 of 48 Page: 1		<i>8</i> A A	×
Ealtura ta prograda ia labor			MEDLINE Complete
			[The psychosocial aspects
Labor dystocia	(>)		"Early rupture of membran
Labor induction and cervical ripeni	ng 💿		Risk factors and outcome
Overview of labor and delivery	۲		Find More
Complications of labor and deliver	у 💿		
Chronic noncancer pain - work in	progress 💿		<ul> <li>Patient Education Reference Center</li> </ul>
Trial of vaginal birth after cesarea (VBAC)	an 💿		Failure to Progress
Maternal intrapartum fever	۲		Cochrane Database of
Chorioamnionitis	۲		Systematic Reviews
Assisted vaginal delivery (instrum delivery)	ental 🔊		Trial of instrumental del Oxytocin augmentation of
Cesarean section	$\odot$		
Oxytocin	3		

1-48 of 48 Page: 1		<i>8</i> ▲ A 🛓
Failure to progress in labor	۲	
Labor dystocia	۲	
Labor induction and cervical ripening	۲	
Overview of labor and delivery	۲	
Complications of labor and delivery	۲	
Chronic noncancer pain - work in progress	۲	
Trial of vaginal birth after cesarean (VBAC)	۲	
Maternal intrapartum fever	۲	
Chorioamnionitis	۲	
Assisted vaginal delivery (instrumental delivery)	۲	
Cesarean section	۲	
Oxytocin	3	

 Esta primeira parte da lista de resultados apresenta a paginação e em seguida uma lista de sumários clínicos relacionados a temática buscada.



- É possível aumentar ou diminuir o tamanho das letras da lista de resultados.
- Além disso, acessar o link permanente da lista de resultados da temática pesquisada.



 Na área à direita da lista de resultados, dependendo dos outros produtos EBSCO assinados é possível criar um integração entre eles, permitindo assim um acesso mais ágil a documentos da mesma temática, mas em outras interfaces.

Home	e   Recent Updates   E	-Newsletter	Mobile	Calculators ~		Send Comment	About 🗸	Help
_							EP SA	LES
D	vnaMed	Search Other	Services		_	~		
	Constant of the second se	Failure to pi	rogress in l	abor	Se	arch 🕐		
		Browse: A B (	CDEFGH	IJKLMNOPQRSTUVWXYZ	Brow	se Categories		
	1-48 of 48 Page: 1			<b>∂</b> A	A	»		
Г	Failure to progress in labor		2				omplete	
	Labor dystocia		2)			[The psycho: "Early ruptur	social aspect e of membra	s an
	Labor induction and cervical i	ripening	2			Risk factors a	and outcome	e
	Overview of labor and delive	ry	2			Find More		
	Complications of labor and d	elivery	2					
	Chronic noncancer pain - wo	rk in progress (	2			☐ Patient Edu Reference (	ication Center	
	Trial of vaginal birth after ce (VBAC)	sarean	2			Failure to Pro	gress	
	Maternal intrapartum fever		2			🗉 Cochrane 🛙	atabase of	-
	Chorioamnionitis		2			Systematic	Reviews	
	Assisted vaginal delivery (ins delivery)	trumental	2			Trial of instru Oxytocin auç	mental del gmentation (	of
	Cesarean section		2					
	Oxytocin		3					



 Caso a condição tenha doenças específicas, serão apresentados os tópicos, basta clicar no de sua preferência.

Home   Recent Updates	Newsletter   Mobile   Calculators 🗸	Send Comment About 🗸 Help						
DynaMe	Fathers to survey in July 20	EP SALES						
Y HANGE	Failure to progress in labor	Search						
	Back      I of 1      Expand All Collapse All							
Get CME for this Topic	Labor dystocia	Tool						
Тор								
🗄 Related Summaries	Related Summaries Updated 2013 Apr 24 US:07:00 AM: previous cesarean delivery for dystocia in second stage of labor associated with increased risk of labor complications in subsequent pregnancy (Am J							
∃ General Information	Perinatol 2013 Mar) view update   Show more updates							
Causes and Risk Factors								
<ul> <li>Complications and Associated Conditions</li> </ul>	Related Summaries:	θ						
History and Physical	Assessment of mother and fetus during labor     Dramman							
Diagnosis	Overview of labor and delivery							
∃ Treatment	Complications of labor and delivery							
Prognosis	<ul> <li>Shoulder dystocia</li> </ul>							
Prevention and Screening								
■ Guidelines and Resources	General Information							
Patient Information	Causes and Risk Factors							
E ICD-9/ICD-10 Codes	Complications and Associated Conditions							
References	History and Physical     Disgroots							
Search Other Services								
	Prognosis							
	Prevention and Screening							
	Guidelines and Resources							
	Detient Information							
	ICD-9/ICD-10 Codes							
	References							
Send Comment to Editor	You are viewing a DynaMed summary, Use of DynaMed indicat Use. Limitations of DynaMed are contained in the DynaMed Ter	ates acceptance of DynaMed Terms of erms of Use.						

🥝 Get CME for this Topic
Тор
🗈 Related Summaries
🖪 General Information
🗈 Causes and Risk Factors
<ul> <li>Complications and Associated Conditions</li> </ul>
🖪 History and Physical
🗈 Diagnosis
🗈 Treatment
Prognosis
🗷 Prevention and Screening
🗷 Guidelines and Resources
Patient Information
■ ICD-9/ICD-10 Codes
Saarah Othar Sarijaaa

- O sumário clínico contém diversas partes:
  - Este é o sumário, com todas as partes do tópico em questão.
     Ao clicar qualquer um dos itens, se abrirá na parte central automaticamente o conteúdo relacionado.



- O sumário clínico contém várias partes, esta é a barra de navegação.
- Nela é possível:
  - Retornar à página anterior;
  - Navegar nos tópicos;
  - Expandir todos os tópicos;
  - Fechar todos os tópicos;
  - Aumentar ou diminuir a letra;
  - Pesquisar no texto;

#### Labor dystocia

Updated 2013 Apr 24 05:07:00 AM: previous cesarean delivery for dystocia in second stage

 of labor associated with increased risk of labor complications in subsequent pregnancy (Am J Perinatol 2013 Mar) view update Show more updates

#### **Related Summaries:**

- Assessment of mother and fetus during labor
- Pregnancy
- Overview of labor and delivery
- Complications of labor and delivery
- Shoulder dystocia

#### 🕟 General Information

- 💽 Causes and Risk Factors
- 🜔 Complications and Associated Conditions
- 🕟 History and Physical
- 🕟 Diagnosis
- 💽 Treatment
- 🕟 Prognosis
- 💽 Prevention and Screening
- 🕥 Guidelines and Resources
- 💽 Patient Information
- 🕟 ICD-9/ICD-10 Codes
- 💽 References

You are viewing a DynaMed summary. Use of DynaMed indicates acceptance of DynaMed Terms of Use. Limitations of DynaMed are contained in the DynaMed Terms of Use.

- O sumário clínico em si tem a seguinte estrutura:
  - A última atualização;
  - Sumários clínicos relacionados;
  - Sumário navegável, onde o usuário pode clicar e verificar o conteúdo específico daquele tema.

#### Labor dystocia

#### Activity:

#### Delayed pushing:

- delayed pushing associated with longer duration of second stage of labce thout significant differences in clinical outcomes (level 2 [mid-level] evidence)
  - based on systematic review of randomized trials without blinding
  - systematic review of 9 randomized trials comparing delayed pushing vs. early pushing during the second stage of labor in 2,953 women at term in labor giving birth to single cephalic presenting fetus with epidural anesthesia
  - delayed pushing associated with longer duration (weighted mean difference 58 minutes, 95% CI 21.5-94.8 minutes) in analysis of 3 trials, but results limited by significant heterogeneity
  - no significant differences in
    - duration of pushing in analysis of 2 trials limited by statistical heterogeneity (p < 0.01)</li>
    - instrumental deliveries in analysis of all trials
    - cesarean sections in analysis of 7 trials
    - · any maternal or infant morbidities
  - Reference BJOG 2004 Dec;111(12):1333 BEBSCOhost Full Text

#### Medications:

#### Indications for labor augmentation with oxytocin:

- $^\circ\,$  using external uterine to cometer consider augmentation if contraction frequency < 3 contractions per 10 minutes and/or contraction intensity < 25 mm Hg above baseline  $^{(1)}$
- $\circ~$  using intrauterine pressure catheter consider augmentation if pressure tracing with < 200 montevideo units in 10 minutes  $^{(3)}$

#### Considerations before initiating labor augmentation:

- prior to augmentation evaluate<sup>(1)</sup>
  - maternal pelvis
  - cervix
  - fetal position

- O sumário clínico ainda apresenta:
  - A classificação daquela evidência. (Existem 3 níveis, para maiores informações, clique <u>aqui</u>.)
  - Além disso, para aqueles clientes que também são assinantes de produtos como Medline, Cinahl, entre outros, é possível vincular, nos casos, apropriados as referências aos textos completos.

# Pesquisa

Índice alfabético



# Pesquisa: Índice alfabético



- Na parte central da interface Dynamed, encontra-se o campo de busca.
- Na parte inferior do campo de busca, é possível ver o alfabeto.
- Ao clicar em qualquer letra, você é levado a lista de documentos que começam com aquela letra.

## Pesquisa: Índice alfabético

Home	Recent Updates	E-Newsletter	Mobile	Calculators 🗸	Send Comment	About 🗸	Help
П	vnaMed	Search Other	Services			EP SA	LES
	Control by EBSCObad				Search 📀		
		Browse: A B (	C D E F G H	HIJKLMNOPQRSTUVWXYZ	Browse Categories		
В	rowse: F				θ	<u>A</u> A <u>A</u>	
F	abrazyme			۲			
F	abry disease			۲			
F	acet joint syndrome			۲			
F	acial palsy			۲			
F	aciocraniosynostosis			۲			
F	acioscapulohumeral muscu	ılar dystrophy		۲			
F	actitious disorder			۲			
F	actitious illness by proxy			۲			
F	active			۲			
F	actor IX (Recombinant)			۲			
F	actor IX Complex			۲			
F	actor IX deficiency			۲			
F	actor V Leiden mutation			۲			
F	actor VIIa (Recombinant)			۲			
F	ailure to progress in labor			۲			
F	ailure to thrive in children			۲			
F	aint			۲			
F	aintness			۲			
F	allopian tube carcinoma			٢			

# Pesquisa

Categorias



## Pesquisa: Categorias





- Na parte central da interface Dynamed, encontra-se o campo de busca.
- Na parte inferior do botão de "Search", é possível ver o link "Browse categories".
- Ao clicar no link "Browse categories", você é levado a uma lista de categorias de acordo com os tipos de doenças, especialidades, condições e medicamentos.

### Pesquisa: Categorias

Browse by Category:	8 A A	
E Allergic Disorders		
Allergic conjunctivitis Tx Dx		
Allergic rhinitis Tx Dx		
Anaphylaxis Tx Dx		
Angioedema Tx Dx		
Atopic dermatitis Tx Dx		
Eosinophilic esophagitis in adults Tx Dx		
🔤 Eosinophilic esophagitis in children Tx Dx		
Food allergy Tx Dx		
Hymenoptera sting allergy T× D×		
Penicillin allergy Tx Dx		
Serum sickness TX DX		
Sulfa allergy Tx Dx		
Urticaria Tx Dx		
Vernal conjunctivitis Tx Dx		
Allergic medications		
Epinephrine (Systemic) R×		
🗈 Antihistamines		
🗈 Intranasal steroids		
E Leukotriene modifiers		
🔁 Cardiovascular Disorders		
Complementary and Alternative Therapies		

- A interface Dynamed permite criar dois tipos de alertas:
  - Aqueles relacionados ao menu Recent Updates, na parte superior esquerda da interface.
  - Aqueles relacionados em um sumário clínico específico.

1-50 of 500 Page: 1   <u>2</u>   <u>3</u>	4   5   > Limit by Category: All Practice Changing Updates	only 🔳 🔺 A 🛕	« Togl
Торіс	Update Reason	Date	
Epidural steroid injection	52% of 320 paraspinal or spinal infections related to fungal meningitis outbreak occurred in Michigan (MIMWR Morb Mortal Wkly Rep 2013 May 17)	05/17/2013 09:20:00 AM	8
Cardiovascular risk	appropriate time for reassessing cardiovascular risk may vary with baseline risk (BMJ 2013 Apr 3)	05/17/2013	

- Ao clicar no link "Recent updates", você é levado a página acima.
- Na barra azul, é possível filtrar por uma área específica e filtrar pelas "Mudanças de práticas médicas";
- Do lado direito, encontram-se duas ferramentas: o sino, que perguntará sobre o email para o qual o alerta diário deverá ser encaminhado; e a corrente, que permite o acesso ao link permanente.



- No sumário clínico, do lado direito, encontra-se uma lista de ferramentas:
  - 1. O sino, que perguntará sobre o email para o qual o alerta diário deverá ser encaminhado;
  - A impressora que me permitirá imprimir o sumário clínico em questão;
  - 3. A carta que me permite enviar para até 50 emails divididos por ; o sumário clínico;
  - 4. E a corrente, que me permite ter acesso ao link permanente do tópico em questão.



Home

Recent Updates E-Newsletter

Mobile

Calculators ~

 Ao clicar no menu "Calculators", você irá encontrar, além de calculadoras, guias de referência, fluxogramas de decisão e demais materiais adicionais.



	Calculators						
Medical Equations	Body Mass Index (Quetelet's index)						
Clinical Criteria							
Decision Trees							
Statistics Calculators	BMI = (Weight/2.205) / (Height/39.37) <sup>2</sup>						
Units & Dose Converters							
Search by Specialty							
Math Calculator	Innut: Result						
Glossary							
References	Height 161 cm 💌 Dim (24.65						
Send Comment to Editor	Weight 64 kg V Decimal Practician 2 V						
	BMI < 18.5: Below normal weight         BMI >= 18.5 and < 25: Normal weight         BMI >= 25 and < 30: Overweight         BMI >= 30 and < 35: Class I Obesity         BMI >= 35 and < 40: Class III Obesity         BMI >= 40: Class III Obesity						
	The default unit of measure for weight is pounds. Please verify that the correct unit of measure has been selected.  Related Results						
	Pull down to select a related equation and transfer values in common       Image: Common test in the common select a related equation and transfer values in common         References       1. PI-Surver FX, Aronne LJ, et. al. The Practical guide: Identification, Evaluation and treatment of Overweight and Obesity in Adults. National Institute of Health National Heart. Lung. And Blood Institute. Noth American Association For The Study Of Obesity. NIH publication 00-4084 2002						
	2. Khosla T. Lowe CR. Indices of obesity derived from hody weight and bejobt. Br. J. Prev. Soc Med. 1967: 21: 122-128. Publiced 🥣						



- Orientações:
  - Clicar no link "Mobile" na parte superior esquerda
  - Inserir um email
  - Abrir o email enviado no smartphone
  - Fazer o download do aplicativo clicando no primeiro link
  - Autenticar clicando no segundo link
- Somente para Android e iOS

Home	Recent Updates	E-Newsletter	Mobile	Calculators 🗸	S	Send Comment	About 🗸	Help
							EP SA	LES
Dy						Sea	rch ?	
iF	Phone and A	ndroid app	os				l	×
	Enter your email ad	dress to send y	ourself the	e instructions, ke	ey and a link to	o download t	he app.	
E-	mail to cfraga@el	bsco.com					]	
Se	parate each e-mail a	ddress with a sem	icolon.					
	Send	Cancel Lea	arn More					
	DynaMed Resident F Interventions May B for-Gestational-Age Weight Gain Among Statins for prevention includes patient risk DynaMed 7-Step Ev DynaMed is THE MO reference (BMJ) Recent changes to	Focus: Group Base e Effective in Lim Newborns and Ge Obese Women on of cardiovascul -specific NNT estir idence-Based Met IST CURRENT poir Skyscape DynaMe	ed Dietary iting Large- estational ar disease mates hodology nt-of-care d mobile ap	p				

🦉 🖄	×	Ö	<b>a</b> 46	. (77	» 15:45
< 🔀				Ŵ	1
	donotreply@e	bsc	o.cor	n	15:39
	Para: Eu				~
Instruc EBSCC	tions and author host iPhone ar	entio Id A	catio ndro	n - id	☆

Dear DynaMed user,

To begin using the DynaMed iPhone app and Android applications, follow the instructions below.

#### Step 1:

Download the app from the <u>iTunes Store</u> or <u>Google Play.</u>

#### Step 2:

View this email on your device, then tap this authentication key

(Note: You must access the link in Step 2 from your device. The activation link will



L 🦉 🗖	🔆 🖸 🏹 🕯 📶 🕬 15:43
	DynaMed
We	elcome to DynaMed
147	
We	elcome!
Thanky	ou for installing
гнанк у	ou for instanting
L	ynawed.
Refore voi	
	a ten the Undetee
app, pleas	e tap the Opdates
tab below	i to download the
latest con	tent. This process
could ta	ake from 5 to 30
minutes, c	lepending on your
, C(	onnection
00	



×	<ul> <li></li> </ul>		Ķ	$\odot$	<b>a</b> 4 G	 15:43
			Cancel Up	date	es	
DynaM		naMeo	d			



## Suporte

## Suporte

			EP SALES
DynaMëd	Search	3	
Browse: A B C D E F G H I J K	L M N O P Q R S T U V W X Y Z Browse Cat	egories	
Spotlight	Search Other Services		
<ul> <li>DYNAMED EBM FOCUS: Severity Of Symptoms and Presence of Effusion May Predict Response to Intra-Articular Corticosteroid Injection for Knee Osteoarthritis</li> <li>DynaMed Resident Focus: Ibuprofen Appears At Least as Effective as Acetaminophen</li> </ul>	PERC	NRC	
Plus Codeine for Pain Relief in Children with Arm Fracture, and May be Associated with Better Functional Outcomes, Fewer Adverse Events, and Better Satisfaction • Stroke (acute management) and 14 related topics updated with AHA guideline (Stroke 2013 Mar) • Anyte acting modify (ADM) undeted with AMD or ideline (Dodictice 2012 Mar)	Lexicomp Online		
<ul> <li>Plus Codeine for Pain Relief in Children with Arm Fracture, and May be Associated with Better Functional Outcomes, Fewer Adverse Events, and Better Satisfaction</li> <li>Stroke (acute management) and 14 related topics updated with AHA guideline (Stroke 2013 Mar)</li> <li>Acute ottis media (AOM) updated with AAP guideline (Pediatrics 2013 Mar)</li> <li>Carbapenem-resistant Enterobacteriaceae (CRE) created on March 12, 2013</li> <li>DynaMed shown to be THE MOST CURRENT point-of-care reference (BMJ 2011 Sep 2 DynaMed 7-Step Evidence-Based Methodology</li> <li>Practice Changing Updates</li> </ul>	Lexicomp Online		
<ul> <li>Plus Codeine for Pain Relief in Children with Arm Fracture, and May be Associated with Better Functional Outcomes, Fewer Adverse Events, and Better Satisfaction</li> <li>Stroke (acute management) and 14 related topics updated with AHA guideline (Stroke 2013 Mar)</li> <li>Acute ottis media (AOM) updated with AAP guideline (Pediatrics 2013 Mar)</li> <li>Carbapenem-resistant Enterobacteriaceae (CRE) created on March 12, 2013</li> <li>DynaMed shown to be THE MOST CURRENT point-of-care reference (BMJ 2011 Sep 2 DynaMed 7-Step Evidence-Based Methodology</li> <li>Practice Changing Updates</li> </ul>	23)		

# Obrigado!

## Dúvidas? support@ebsco.com

